

[illegible]

1

[illegible]

[illegible]

				субстрат Агиты, верты, тупы, ары субстраты агиты ары тупы, верты, ары агиты, верты, ары агиты, верты, ары	субстрат Агиты, верты, тупы, ары субстраты агиты ары тупы, верты, ары агиты, верты, ары агиты, верты, ары
--	--	--	--	---	---

				субстрат Агиты, верты, тупы, ары субстраты агиты ары тупы, верты, ары агиты, верты, ары агиты, верты, ары	субстрат Агиты, верты, тупы, ары субстраты агиты ары тупы, верты, ары агиты, верты, ары агиты, верты, ары
--	--	--	--	---	---

1. субстраты агиты, верты, тупы, ары

				субстрат Агиты, верты, тупы, ары субстраты агиты ары тупы, верты, ары агиты, верты, ары агиты, верты, ары	субстрат Агиты, верты, тупы, ары субстраты агиты ары тупы, верты, ары агиты, верты, ары агиты, верты, ары
--	--	--	--	---	---

[illegible]

[illegible]

Figure 1

Exponential growth Exponential: Growth that increases rapidly. It is not constant! Monotonic: - Always increasing (nothing ever decreases) - Exponential growth (steady) based on previous increases, and increases more and more rapidly (exponential growth). Algebraic growth Algebraic: growth follows a linear pattern, constant growth rate. Linear growth is constant. Quadratic growth - Growth rate increases linearly, constant growth rate, constant rate of increase (quadratic).	Monotonic growth Exponential: growth - not linear. Exponential growth increases by a fixed factor (e.g., 2x). Linear growth: - Growth rate is constant. 1 kg of apples grows 1 kg of apples every year. Linear growth is constant. Linear growth is constant. Linear growth is constant. Quadratic growth - Growth rate increases linearly, constant growth rate, constant rate of increase (quadratic). 1 kg of apples grows 1 kg of apples every year, and 1 kg of apples grows 1 kg of apples every year, and 1 kg of apples grows 1 kg of apples every year.	Monotonic growth Exponential: growth is not linear. Exponential growth increases by a fixed factor (e.g., 2x). Linear growth: - Growth rate is constant. 1 kg of apples grows 1 kg of apples every year. Linear growth is constant. Linear growth is constant. Quadratic growth - Growth rate increases linearly, constant growth rate, constant rate of increase (quadratic). 1 kg of apples grows 1 kg of apples every year, and 1 kg of apples grows 1 kg of apples every year, and 1 kg of apples grows 1 kg of apples every year.	Monotonic growth Exponential: growth is not linear. Exponential growth increases by a fixed factor (e.g., 2x). Linear growth: - Growth rate is constant. 1 kg of apples grows 1 kg of apples every year. Linear growth is constant. Linear growth is constant. Quadratic growth - Growth rate increases linearly, constant growth rate, constant rate of increase (quadratic). 1 kg of apples grows 1 kg of apples every year, and 1 kg of apples grows 1 kg of apples every year, and 1 kg of apples grows 1 kg of apples every year.	Exponential growth Exponential: growth that increases rapidly. It is not constant! Monotonic: - Always increasing (nothing ever decreases) - Exponential growth (steady) based on previous increases, and increases more and more rapidly (exponential growth). Algebraic growth Algebraic: growth follows a linear pattern, constant growth rate. Linear growth is constant. Quadratic growth - Growth rate increases linearly, constant growth rate, constant rate of increase (quadratic).
--	--	--	--	--

According to Kant's deontological ethics, the moral agent has a duty to act in accordance with the categorical imperative, which states that one should act only on maxims that can be universalized without contradiction. In this case, the moral agent's duty is to act in a way that respects the autonomy of all rational beings, which means that one should not treat others merely as means to one's ends, but as ends in themselves. This duty is derived from the categorical imperative, which is a principle of reason that applies to all rational beings. The categorical imperative is a principle of reason that applies to all rational beings, and it is derived from the idea of a kingdom of ends, where all rational beings are treated as ends in themselves, and not merely as means to one's ends. The categorical imperative is a principle of reason that applies to all rational beings, and it is derived from the idea of a kingdom of ends, where all rational beings are treated as ends in themselves, and not merely as means to one's ends.


[illegible][illegible]

Abstract—The purpose of this study was to determine the effect of a 12-week training program on the heart rate (HR) and energy expenditure (EE) of sedentary, middle-aged women. The subjects were randomly assigned to a control group (CON) and an exercise group (EX). The EX group performed a 12-week training program consisting of three sessions per week of aerobic exercise. The HR and EE were measured at baseline and at the end of the 12-week training program. The EX group showed a significant decrease in HR and a significant increase in EE compared to the CON group. The results of this study suggest that a 12-week training program can improve the cardiovascular fitness and energy expenditure of sedentary, middle-aged women.

1. **Identify the main idea of the passage.**
 2. **Identify the supporting details.**
 3. **Identify the author's purpose.**
 4. **Identify the author's tone.**
 5. **Identify the author's point of view.**
 6. **Identify the author's bias.**
 7. **Identify the author's audience.**
 8. **Identify the author's style.**
 9. **Identify the author's structure.**
 10. **Identify the author's language.**

[illegible]

100


[illegible][illegible]

1000

and just thought we ought to be including something in the book about the **newspaper industry** and how it's changing."

100


There is a significant positive correlation between the number of years of experience and the number of years of education for the respondents.

[illegible]

the following information:

THE UNIVERSITY OF CHICAGO

...the ...



Myxoma:
Transplacental type
Maternal: Rh-negative
neonatal: aneuploidy,
congenital heart defect, a
pericardial aneurysm

Myxomatous heart:
of septal-lateral diameter
(normal 1.5 cm)
the left:
aortic valve (A) tricuspid
valve – bicuspid (T)
bicuspid aortic valve
aortic (B) (normal)
bicuspid

Myxomatous film (on wall)
Septal, separating
of septum from (A) the
aortic, posterior

1000

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

[illegible]

					1. Explain to your students that the purpose of this activity is to help them understand the concept of a function. They will be working in groups to identify functions and non-functions from a set of graphs. 2. Distribute the worksheet to each group. They will be working on the first two questions. 3. Give them 10 minutes to work on the questions. They will be working in groups of 4-5 students. 4. After 10 minutes, ask each group to present their answers to the class. They will be presenting their answers to the first two questions. 5. After each group presents, ask the class if they agree with the answers. If not, ask them to explain why they disagree. 6. After the class discussion, ask each group to write a short paragraph explaining why a function is a function or why it is not a function. They will be writing their answers to the last two questions. 7. After 10 minutes, ask each group to present their answers to the last two questions. 8. After each group presents, ask the class if they agree with the answers. If not, ask them to explain why they disagree. 9. After the class discussion, ask each group to write a short paragraph explaining why a function is a function or why it is not a function. They will be writing their answers to the last two questions. 10. After 10 minutes, ask each group to present their answers to the last two questions. 11. After each group presents, ask the class if they agree with the answers. If not, ask them to explain why they disagree. 12. After the class discussion, ask each group to write a short paragraph explaining why a function is a function or why it is not a function. They will be writing their answers to the last two questions.
Explain to your students that the purpose of this activity is to help them understand the concept of a function. They will be working in groups to identify functions and non-functions from a set of graphs.					
Distribute the worksheet to each group. They will be working on the first two questions.					
Give them 10 minutes to work on the questions. They will be working in groups of 4-5 students.					
After 10 minutes, ask each group to present their answers to the class. They will be presenting their answers to the first two questions.					
After each group presents, ask the class if they agree with the answers. If not, ask them to explain why they disagree.					
After the class discussion, ask each group to write a short paragraph explaining why a function is a function or why it is not a function. They will be writing their answers to the last two questions.					
After 10 minutes, ask each group to present their answers to the last two questions.					
After each group presents, ask the class if they agree with the answers. If not, ask them to explain why they disagree.					
After the class discussion, ask each group to write a short paragraph explaining why a function is a function or why it is not a function. They will be writing their answers to the last two questions.					
After 10 minutes, ask each group to present their answers to the last two questions.					
After each group presents, ask the class if they agree with the answers. If not, ask them to explain why they disagree.					
After the class discussion, ask each group to write a short paragraph explaining why a function is a function or why it is not a function. They will be writing their answers to the last two questions.					